



SALT POINT ROAD
PO Box 110
WATKINS GLEN, NY 14891-0110
607 / 535-2721

September 13, 2013

Frank Brock
U.S. Environmental Protection Agency
290 Broadway, 20th Floor
New York, New York 10007-1866

RE: MIT test results

Dear Mr. Brock

Enclosed are the charts and results of the MIT tests conducted on wells 63, 64, and 65 witnessed by the DEC and EPA.

Sincerely,

A handwritten signature in blue ink that reads 'Barry Moon'.

Barry Moon

NYU063860

Inputed in DB

U.S. ENVIRONMENTAL PROTECTION AGENCY
RECEIVED
SEP 16 2013
WATKINS GLEN, NY 14891-0110

9/12/2013

MIT RESULTS US SALT WELL 65

TUBING			CASING	
TIME	GAUGE	RECORDER	GAUGE	RECORDER
9:00	535	540	540.7	540
9:10	535	535	539.5	550
9:20	535	535	538.3	550
9:30	534	530	537.4	545
9:40	532	525	536.4	540
9:50	532	525	535.4	545
10:00	532	530	534.5	550

Certificate #
440264

UpState is
Accredited to

ISO 17025



www.upstateeasytrack.com

Certificate of Calibration

Upstate Metrology Inc. certifies that this equipment has been calibrated with standards traceable to the National Institute of Standards and Technology (NIST) to the performance specifications as stated in approved publications. The requirements set forth in MIL-STD 45662A, ISO10012-1 have been met or exceeded. Uncertainty budgets have been calculated at 95% confidence level using a coverage factor of k=2. Unless otherwise noted.

INERGY MIDSTREAM
7535 EAGLE VALLEY ROAD
SAVONA NY 14879
P.O.#: IM13-003
Client Asset # N/A

Calibrated: 2/24/2013
Received: 2/20/2013
Condition: In Tolerance

Calibration Due: 2/24/2014
Temperature: 67 F
Humidity: 20 % RH
Cal procedure used: 1012-06

ITEM CALIBRATED

Model	Manufacturer	Description	Serial #
0-2000 PSIG	ASHCROFT	PRESSURE GAGE	1208275

Laboratory Standards Used

Asset #	Model #	Manufacturer	Description	Last Cal.	Due Cal.
AP5002	42270	EXTECH	T/H DATA LOGGER	2 5 2013	2 5 2014
Nist# LABORATORY MONITOR					
AP2015	5300	DH INSTRUMENTS	DEAD WEIGHT TESTER	9 20 2007	12 31 2013
Nist# 100 & 300 PSI Kg PISTONS					
AP2015A	100g-2Kg	DH INSTRUMENTS	WEIGHT SET	9 8 2010	9 8 2015
Nist# N.Y.S. REPORT # 10-403					
AP2015E	4Kg & 5Kg	DH INSTRUMENTS	WEIGHT SET	2 8 2012	2 8 2017
Nist# N.Y.S. REPORT # 12-069					

Comments: NONE.

This Certificate of Calibration shall not be reproduced, except in full, without the written approval of Upstate Metrology Inc. Any subcontractor calibrations and/or tests are denoted under "Laboratory Standards Used" with a "V" prefix. On-Site calibrations are performed at the customers address unless stated otherwise in the Comments. All items Certified to Mfg. Spec's unless otherwise noted.

Henry Staab Jr.

Technician ID

1009

CHRIS MAGGIULLI
President

Form UP102 rev 6 2/08

Certificate #
440263

UpState is
Accredited to

ISO 17025



Certificate of Calibration

www.upstateeasytrack.com

Upstate Metrology Inc. certifies that this equipment has been calibrated with standards traceable to the National Institute of Standards and Technology (NIST) to the performance specifications as stated in approved publications. The requirements set forth in MIL-STD 45662A, ISO10012-1 have been met or exceeded. Uncertainty budgets have been calculated at 95% confidence level using a coverage factor of k=2 Unless otherwise noted

INERGY MIDSTREAM
7535 EAGLE VALLEY ROAD
SAVONA NY 14879
P.O.#: IM13-003
Client Asset # N.A

Calibrated: 2/22/2013
Received: 2/20/2013
Condition: In Tolerance

Calibration Due: 2/22/2014
Temperature: 67 F
Humidity: 20 % RH
Cal procedure used: ICP-06

ITEM CALIBRATED

Model	Manufacturer	Description	Serial #
0-2000 PSIG	ASHCROFT	PRESSURE GAGE	C002991

Laboratory Standards Used

Asset #	Model #	Manufacturer	Description	Last Cal.	Due Cal.
AP5002	42270	EXTECH	T/H DATA LOGGER	2/5/2013	2/5/2014
Nist# LABORATORY MONITOR					
AP2015	5300	DH INSTRUMENTS	DEAD WEIGHT TESTER	9/20/2007	12/31/2013
Nist# 100 & 300 PSI/Kg PISTONS					
AP2015A	100g-2Kg	DH INSTRUMENTS	WEIGHT SET	9/8/2010	9/8/2015
Nist# N.Y.S. REPORT # 10-403					
AP2015E	4Kg & 5Kg	DH INSTRUMENTS	WEIGHT SET	2/8/2012	2/8/2017
Nist# N.Y.S. REPORT # 12-069					

Comments: NONE

This Certificate of Calibration shall not be reproduced, except in full, without the written approval of Upstate Metrology Inc. Any subcontractor calibrations and/or tests are denoted under "Laboratory Standards Used" with a "V" prefix. On-Site calibrations are performed at the customers address unless stated otherwise in the Comments. All items Certified to Mfg. Spec's unless otherwise noted

Henry Staab Jr.
Technician ID 1009

CHRIS MAGGIORI
President

Form UP102, rev 6, 2/08

Certificate #
440265

UpState is
Accredited to

ISO 17025



Certificate of Calibration

www.upstateeasytrack.com

Upstate Metrology Inc. certifies that this equipment has been calibrated with standards traceable to the National Institute of Standards and Technology (NIST) to the performance specifications as stated in approved publications. The requirements set forth in MIL-STD 45662A, ISO10012-1 have been met or exceeded. Uncertainty budgets have been calculated at 95% confidence level using a coverage factor of k=2. Unless otherwise noted.

INERGY MIDSTREAM
7535 EAGLE VALLEY ROAD
SAVONA NY 14879
P.O.#: IM13-003
Client Asset # N/A

Calibrated: 2/25/2013
Received: 2/20/2013
Condition: In Tolerance

Calibration Due: 2/25/2014
Temperature: 67 F
Humidity: 20 % RH
Cal procedure used: ICP-06

Cal Ratio: 4 :1

ITEM CALIBRATED

Model	Manufacturer	Description	Serial #
18B20	TECH-CAL	CHART RECORDER	014336

Laboratory Standards Used

Asset #	Model #	Manufacturer	Description	Last Cal.	Due Cal.
1313	42270	EXTECH	T/H DATALOGGER	2/11/2013	2/11/2014
Nist#					
AP2015	5300	DH INSTRUMENTS	DEAD WEIGHT TESTER	9/20/2007	12/31/2013
Nist# 100 & 300 PSI/Kg PISTONS					
AP2015A	100g-2Kg	DH INSTRUMENTS	WEIGHT SET	9/8/2010	9/8/2015
Nist# N.Y.S. REPORT # 10-403					
AP2015E	4Kg & 5Kg	DH INSTRUMENTS	WEIGHT SET	2/8/2012	2/8/2017
Nist# N.Y.S. REPORT # 12-069					

Comments: NONE.

This Certificate of Calibration shall not be reproduced, except in full, without the written approval of Upstate Metrology Inc. Any subcontractor calibrations and/or tests are denoted under "Laboratory Standards Used" with a "V" prefix. On-Site calibrations are performed at the customers address unless stated otherwise in the Comments. All items Certified to Mfg. Spec.'s unless otherwise noted.


Henry Staab Jr.

Technician ID

1009

CHRIS MAGGIULLI
President

Form UP102, rev 6, 2/08



6 AM
5
4

7

8

9

10

11

NOON

Test Conducted by
Barry M. Tomlale
Test Witnessed by
Joe Yarusz
Company: Dayt
atc

CHART NO. MP-3000-150F 75DIV
CHART PUT ON
0900 9-12-13
LOCATION
1000 9-12-13
REMARKS
15 Silt well 65
EPA met Test

MIDNIGHT

11

10

9/28/2012

MIT RESULTS US SALT WELL 64

TUBING			CASING	
TIME	GAUGE	RECORDER	GAUGE	RECORDER
11:55	512.3	500	510	510
12:05	504.8	485	510	510
12:25	498.3	480	510	510
12:55	488.8	475	505	500



GAS MEASUREMENT

DISC. NO. _____

CHART PUT ON
PLACE _____

TIME 0905 M. _____

DATE 9-28-12

METER
TAKEN OFF
ENLEV _____


TIME 1910 M. _____


DATE 9-28-12

LOCATION US SALT WELL 64

REMARKS PIET Test

M-3000-H-150F





9-28-12 Time on 0905
9-28-12 Time off 0910
COMP. 324
CHART US Silt
LEASE No MET test
BR B 0-2000-8

PRINTED IN U.S.A.



NOTICE OF INSPECTION

U.S. EPA
Ground Water Compliance Section
290 Broadway - 20th Fl.
New York, NY 10007

Phone (212) 637-4231
Fax (212) 637-4211

Firm name & address:

U.S. Salt Watkins Glen Facility
Route 20
Watkins Glen, NY

Inspector name, signature, time & date

Frank C. Brock Frank C. Brock 9/28/12 8:15 AM

Signature & date of owner/operator

Ray L. Mon 9-28-12

NOTICE OF INSPECTION IS HEREBY GIVEN ACCORDING TO SECTION 1445(b) OF THE SAFE DRINKING WATER ACT (42 U.S.C. § 300j-4).

REASON FOR INSPECTION: For the purpose of inspecting records, files, papers, processes, controls and facilities, and/or obtaining samples to determine whether the person subject to an applicable underground injection control program has acted or is acting in compliance with the Safe Drinking Water Act and any applicable permit or rule.

Section 1445(b) of the Safe Drinking Water Act (42 U.S.C. § 300j-4 (b) provides, in pertinent part, that the EPA Administrator or a representative of the Administrator duly designated by him/her, upon presenting appropriate credentials and a written notice to any person in charge of property, subject to an applicable underground injection control program or any requirement to monitor an unregulated contaminant pursuant to Section 1445 of the Safe Drinking Water Act, is authorized to enter any establishment, facility, or other property in order to determine whether such person has acted or is acting in compliance with the requirements of Part C of the Safe Drinking Water Act, including for this purpose, inspection, at reasonable times, of records, files, papers, processes, controls, and facilities, or in order to test any feature of a public water system, including its raw water source.

PENALTY ~ Section 1445(c) of the Safe Drinking Water Act (42 U.S.C. § 300j-4 (c) states:

"Whoever fails or refuses ... to allow the Administrator, the Comptroller General, or representatives of either, to enter and conduct any audit or inspection authorized by subsection (b) shall be subject to a civil penalty, not to exceed \$27,500."

Certificate #
424659

UpState is
Accredited to

ISO 17025



Certificate of Calibration

www.upstateeasytrack.com

Upstate Metrology Inc. certifies that this equipment has been calibrated with standards traceable to the National Institute of Standards and Technology (NIST) to the performance specifications as stated in approved publications. The requirements set forth in MIL-STD 45662A, ISO10012-1 have been met or exceeded. Uncertainty budgets have been calculated at 95% confidence level using a coverage factor of k=2. Unless otherwise noted.

INERGY MIDSTREAM
7535 EAGLE VALLEY ROAD
SAVONA NY 14879
P.O.#: IM12-004
Client Asset # N/A

Calibrated: 3/12/2012
Received: 2/29/2012
Condition: In Tolerance

Calibration Due: 3/12/2013
Temperature: 68 F
Humidity: 20 % RH
Cal procedure used: ICP-06

ITEM CALIBRATED

Model	Manufacturer	Description	Serial #
18B20	TECH-CAL	CHART RECORDER	014336

Laboratory Standards Used

Asset #	Model #	Manufacturer	Description	Last Cal.	Due Cal.
1313 Nist#	42270	EXTECH	T/H DATALOGGER	2/1/2012	2/1/2013
AP2015 Nist#	5300 100 & 300 PSI/Kg	DH INSTRUMENTS PISTONS	DEAD WEIGHT TESTER	9/20/2007	9/20/2012
AP2015A Nist#	100g-2Kg N.Y.S. REPORT # 10-403	DH INSTRUMENTS	WEIGHT SET	9/8/2010	9/8/2015
AP2015E Nist#	4Kg & 5Kg N.Y.S. REPORT # 12-069	DH INSTRUMENTS	WEIGHT SET	2/8/2012	2/8/2017

Comments:

This Certificate of Calibration shall not be reproduced, except in full, without the written approval of Upstate Metrology Inc. Any subcontractor calibrations and/or tests are denoted under "Laboratory Standards Used" with a "V" prefix. On-Site calibrations are performed at the customers address unless stated otherwise in the Comments. All items Certified to Mfg. Spec.'s unless otherwise noted.

Henry Staab Jr.

Technician ID

1009

CHRIS MAGGIULLI

President

Certificate #
424661

UpState is
Accredited to

ISO 17025



Certificate of Calibration

www.upstateeasytrack.com

Upstate Metrology Inc. certifies that this equipment has been calibrated with standards traceable to the National Institute of Standards and Technology (NIST) to the performance specifications as stated in approved publications. The requirements set forth in MIL-STD 45662A, ISO10012-1 have been met or exceeded. Uncertainty budgets have been calculated at 95% confidence level using a coverage factor of k=2. Unless otherwise noted.

INERGY MIDSTREAM
7535 EAGLE VALLEY ROAD
SAVONA NY 14879
P.O.#: IM12-004
Client Asset # N/A

Calibrated: 3/5/2012
Received: 2/29/2012
Condition: In Tolerance

Calibration Due: 3/5/2013
Temperature: 67 F
Humidity: 20 % RH
Cal procedure used: ICP-06

Cal Ratio: 4 :1

ITEM CALIBRATED

Model	Manufacturer	Description	Serial #
0-2000 PSIG	ASHCROFT	PRESSURE GAGE	1208275

Laboratory Standards Used

Asset #	Model #	Manufacturer	Description	Last Cal.	Due Cal.
1313 Nist#	42270	EXTECH	DATALOGGER	2/1/2012	2/1/2013
AP2015 Nist#	5300	DH INSTRUMENTS	100 & 300 PSI/Kg PISTONS	9/20/2007	9/20/2012
4P2015A Nist#	100g-2Kg	DH INSTRUMENTS	WEIGHT SET	9/8/2010	9/8/2015
2004 Nist#	1mg - 100g	TROEMNER	WEIGHT SET	2/2/2012	2/2/2017

Comments: NONE.

This Certificate of Calibration shall not be reproduced, except in full, without the written approval of Upstate Metrology Inc. Any subcontractor calibrations and/or tests are denoted under "Laboratory Standards Used" with a "V" prefix. On-Site calibrations are performed at the customers address unless stated otherwise in the Comments. All items Certified to Mfg. Spec.'s unless otherwise noted.

Henry Staab Jr.

Technician ID 1009

CHRIS MAGGIULLI
President

Form UP102, rev 6, 2/08

Certificate #
424660

UpState is
Accredited to

ISO 17025



www.upstateeasytrack.com

Certificate of Calibration

Upstate Metrology Inc. certifies that this equipment has been calibrated with standards traceable to the National Institute of Standards and Technology (NIST) to the performance specifications as stated in approved publications. The requirements set forth in MIL-STD 45662A, ISO10012-1 have been met or exceeded. Uncertainty budgets have been calculated at 95% confidence level using a coverage factor of k=2. Unless otherwise noted.

INERGY MIDSTREAM
7535 EAGLE VALLEY ROAD
SAVONA NY 14879
P.O.#: IM12-004
Client Asset # N/A

Calibrated: 3/5/2012
Received: 2/29/2012
Condition: In Tolerance

Calibration Due: 3/5/2013
Temperature: 67 F
Humidity: 20 % RH
Cal procedure used: ICP-06

Cal Ratio: 4 :1

ITEM CALIBRATED

Model	Manufacturer	Description	Serial #
0-2000 PSIG	ASHCROFT	PRESSURE GAGE	C002991

Laboratory Standards Used

Asset #	Model #	Manufacturer	Description	Last Cal.	Due Cal.
1313	42270	EXTECH	DATALOGGER	2/1/2012	2/1/2013
Nist#					
AP2015	5300	DH INSTRUMENTS	100 & 300 PSI/Kg PISTONS	9/20/2007	9/20/2012
Nist# DEAD WEIGHT TESTER.					
AP2015A	100g-2Kg	DH INSTRUMENTS	WEIGHT SET	9/8/2010	9/8/2015
Nist#					

Nist#

Comments: NONE.

This Certificate of Calibration shall not be reproduced, except in full, without the written approval of Upstate Metrology Inc. Any subcontractor calibrations and/or tests are denoted under "Laboratory Standards Used" with a "V" prefix. On-Site calibrations are performed at the customers address unless stated otherwise in the Comments. All items Certified to Mfg. Spec.'s unless otherwise noted.

Henry Staab Jr.

Technician ID

1009

CHRIS MAGGIULLI
President

Form UP102, rev 6, 2/08

Certificate #
424658

UpState is
Accredited to

ISO 17025



Certificate of Calibration

www.upstateeasytrack.com

Upstate Metrology Inc. certifies that this equipment has been calibrated with standards traceable to the National Institute of Standards and Technology (NIST) to the performance specifications as stated in approved publications. The requirements set forth in MIL-STD 45662A, ISO10012-1 have been met or exceeded. Uncertainty budgets have been calculated at 95% confidence level using a coverage factor of k=2. Unless otherwise noted.

INERGY MIDSTREAM
7535 EAGLE VALLEY ROAD
SAVONA NY 14879
P.O.#: IM12-004
Client Asset # N/A

Calibrated: 3/12/2012

Received: 2/29/2012

Condition: Limited Cal

Calibration Due: 3/12/2013

Temperature: 67 F

Humidity: 20 % RH

Cal procedure used: ICP-06

Cal Ratio: 4 : 1

ITEM CALIBRATED

Model	Manufacturer	Description	Serial #
242A	ITT BARTON	CHART RECORDER	242A-6219500

Laboratory Standards Used

Asset #	Model #	Manufacturer	Description	Last Cal.	Due Cal.
AP5002	42270	EXTECH	T/H DATA LOGGER	12/21/2011	12/21/2012
Nist# LABORATORY MONITOR					
AP2015	5300	DH INSTRUMENTS	DEAD WEIGHT TESTER	9/20/2007	9/20/2012
Nist# 100 & 300 PSI/Kg PISTONS					
AP2015A	100g-2Kg	DH INSTRUMENTS	WEIGHT SET	9/8/2010	9/8/2015
Nist# N.Y.S. REPORT # 10-403					
AP2015B	4Kg & 5Kg	DH INSTRUMENTS	WEIGHT SET	2/8/2012	2/8/2017
Nist# N.Y.S. REPORT # 12-069					

Comments: LIMITED CALIBRATION : 0 - 2,500 PSIG.

This Certificate of Calibration shall not be reproduced, except in full, without the written approval of Upstate Metrology Inc. Any subcontractor calibrations and/or tests are denoted under "Laboratory Standards Used" with a "V" prefix. On-Site calibrations are performed at the customers address unless stated otherwise in the Comments. All items Certified to Mfg. Spec.'s unless otherwise noted.

Henry Staab Jr.

Technician ID

1009

CHRIS MAGGIULLI

President

Form UP102, rev 6, 2/08



Accredited
ISO 17025

Limited Calibration Notice

Monday, March 12, 2012

INERGY MIDSTREAM
7535 EAGLE VALLEY ROAD
SAVONA NY 14879

Dear Sir:

CERTIFICATE #: 424658

The Instrument identified below was recently sent to Upstate Metrology for calibration, a LIMITED calibration was performed due to the indicated limitation(s) of the unit.

<u>Model #</u> 242A	ITT BARTON
<u>Serial #</u> 242A-6219500	CHART RECORDER

Limitation(s):

LIMITED CALIBRATION : 0 - 2,500 PSIG.

This notice is a requirement for MIL-STD 45662A, Paragraph 5.6 and is provided for your information and action if required by your quality procedures.

I would like to thank you for using UpState Metrology for your test equipment services and look forward to a continued professional relationship.

Sincerely,

UpState Metrology, Inc.


Chris Maggiulli
President


UpState Metrology, Inc. • 999 Buffalo Road • Rochester, NY 14624 • (585) 292-6430

Form UP108, rev 4, 2/08

9/28/2012

MIT RESULTS US SALT WELL 63

TUBING			CASING	
TIME	GAUGE	RECORDER	GAUGE	RECORDER
9:05	506.2	490	510	520
9:15	505	490	510	520
9:25	503.9	490	510	520
9:35	503	490	510	520
9:45	501.8	480	510	520
9:55	500.8	480	510	520
10:05	499.8	480	510	520



Graphic Controls

Time on 11:55
Time off 12:55

Tubing

COMP.

CHART

MIT Test No. 9-28-12

LEASE US Salt well 1163

BR B 0-2000-8

PRINTED IN U.S.A.



GAS MEASUREMENT

DISC. NO. _____

CHART PUT ON
PLACE

TIME 11:55 M.

DATE 9-28-12

METER
TAKEN OFF
ENLEV


TIME 12:55 M.

DATE 9-28-12

LOCATION US. Salt Well 63

REMARKS
REMARKS MIT Test

M-3000-H-150F





NOTICE OF INSPECTION

U.S. EPA
Ground Water Compliance Section
290 Broadway - 20th Fl.
New York, NY 10007

Phone (212) 637-4231
Fax (212) 637-4211

Firm name & address:

U.S. Salt Watkins Glen Facility
Route 20
Watkins Glen, NY

Inspector name, signature, time & date

Frank C Brock Frank C Brock 9/28/12 8:15 AM

Signature & date of owner/operator

Ray L Mon 9-28-12

NOTICE OF INSPECTION IS HEREBY GIVEN ACCORDING TO SECTION 1445(b) OF THE SAFE DRINKING WATER ACT (42 U.S.C. § 300j-4).

REASON FOR INSPECTION: For the purpose of inspecting records, files, papers, processes, controls and facilities, and/or obtaining samples to determine whether the person subject to an applicable underground injection control program has acted or is acting in compliance with the Safe Drinking Water Act and any applicable permit or rule.

Section 1445(b) of the Safe Drinking Water Act (42 U.S.C. § 300j-4 (b) provides, in pertinent part, that the EPA Administrator or a representative of the Administrator duly designated by him/her, upon presenting appropriate credentials and a written notice to any person in charge of property, subject to an applicable underground injection control program or any requirement to monitor an unregulated contaminant pursuant to Section 1445 of the Safe Drinking Water Act, is authorized to enter any establishment, facility, or other property in order to determine whether such person has acted or is acting in compliance with the requirements of Part C of the Safe Drinking Water Act, including for this purpose, inspection, at reasonable times, of records, files, papers, processes, controls, and facilities, or in order to test any feature of a public water system, including its raw water source.

PENALTY ~ Section 1445(c) of the Safe Drinking Water Act (42 U.S.C. § 300j-4 (c) states:

"Whoever fails or refuses ... to allow the Administrator, the Comptroller General, or representatives of either, to enter and conduct any audit or inspection authorized by subsection (b) shall be subject to a civil penalty, not to exceed \$27,500."

Certificate #
424659

UpState is
Accredited to

ISO 17025



www.upstateeasytrack.com

Certificate of Calibration

Upstate Metrology Inc. certifies that this equipment has been calibrated with standards traceable to the National Institute of Standards and Technology (NIST) to the performance specifications as stated in approved publications. The requirements set forth in MIL-STD 45662A, ISO10012-1 have been met or exceeded. Uncertainty budgets have been calculated at 95% confidence level using a coverage factor of k=2. Unless otherwise noted.

INERGY MIDSTREAM
7535 EAGLE VALLEY ROAD
SAVONA NY 14879
P.O.#: IM12-004
Client Asset # N/A

Calibrated: 3/12/2012
Received: 2/29/2012
Condition: In Tolerance

Calibration Due: 3/12/2013
Temperature: 68 F
Humidity: 20 % RH
Cal procedure used: ICP-06

Cal Ratio: 4 :1

ITEM CALIBRATED

Model	Manufacturer	Description	Serial #
18B20	TECH-CAL	CHART RECORDER	014336

Laboratory Standards Used

Asset #	Model #	Manufacturer	Description	Last Cal.	Due Cal.
1313 Nist#	42270	EXTECH	T/H DATALOGGER	2/1/2012	2/1/2013
AP2015 Nist#	5300 100 & 300 PSI/Kg	DH INSTRUMENTS PISTONS	DEAD WEIGHT TESTER	9/20/2007	9/20/2012
4P2015A Nist#	100g-2Kg N.Y.S. REPORT # 10-403	DH INSTRUMENTS	WEIGHT SET	9/8/2010	9/8/2015
AP2015E Nist#	4Kg & 5Kg N.Y.S. REPORT # 12-069	DH INSTRUMENTS	WEIGHT SET	2/8/2012	2/8/2017

Comments:

This Certificate of Calibration shall not be reproduced, except in full, without the written approval of Upstate Metrology Inc. Any subcontractor calibrations and/or tests are denoted under "Laboratory Standards Used" with a "V" prefix. On-Site calibrations are performed at the customers address unless stated otherwise in the Comments. All items Certified to Mfg. Spec.'s unless otherwise noted.

Henry Staab Jr.

Technician ID

1009

CHRIS MAGGIULLI

President

Form UP102, rev 6, 2/08

Certificate #
424661

UpState is
Accredited to

ISO 17025



Certificate of Calibration

www.upstateeasytrack.com

Upstate Metrology Inc. certifies that this equipment has been calibrated with standards traceable to the National Institute of Standards and Technology (NIST) to the performance specifications as stated in approved publications. The requirements set forth in MIL-STD 45662A, ISO10012-1 have been met or exceeded. Uncertainty budgets have been calculated at 95% confidence level using a coverage factor of k=2. Unless otherwise noted.

INERGY MIDSTREAM
7535 EAGLE VALLEY ROAD
SAVONA NY 14879
P.O.#: IM12-004
Client Asset # N/A

Calibrated: 3/5/2012
Received: 2/29/2012
Condition: In Tolerance

Calibration Due: 3/5/2013
Temperature: 67 F
Humidity: 20 % RH
Cal procedure used: ICP-06

Cal Ratio: 4 :1

ITEM CALIBRATED

Model	Manufacturer	Description	Serial #
0-2000 PSIG	ASHCROFT	PRESSURE GAGE	1208275

Laboratory Standards Used

Asset #	Model #	Manufacturer	Description	Last Cal.	Due Cal.
1313 Nist#	42270	EXTECH	DATALOGGER	2/1/2012	2/1/2013
AP2015 Nist#	5300	DH INSTRUMENTS	100 & 300 PSI/Kg PISTONS	9/20/2007	9/20/2012
AP2015A Nist#	100g-2Kg	DH INSTRUMENTS	WEIGHT SET	9/8/2010	9/8/2015
2004 Nist#	1mg - 100g	TROEMNER	WEIGHT SET	2/2/2012	2/2/2017

Comments: NONE.

This Certificate of Calibration shall not be reproduced, except in full, without the written approval of Upstate Metrology Inc. Any subcontractor calibrations and/or tests are denoted under "Laboratory Standards Used" with a "V" prefix. On-Site calibrations are performed at the customers address unless stated otherwise in the Comments. All items Certified to Mfg. Spec.'s unless otherwise noted.

Henry Staab Jr.

Technician ID

1009

CHRIS MAGGIORI
President

Form UP102, rev 6, 2/08

Certificate #
424660

UpState is
Accredited to

ISO 17025



Certificate of Calibration

www.upstateeasytrack.com

Upstate Metrology Inc. certifies that this equipment has been calibrated with standards traceable to the National Institute of Standards and Technology (NIST) to the performance specifications as stated in approved publications. The requirements set forth in MIL-STD 45662A, ISO10012-1 have been met or exceeded. Uncertainty budgets have been calculated at 95% confidence level using a coverage factor of k=2. Unless otherwise noted.

INERGY MIDSTREAM
7535 EAGLE VALLEY ROAD
SAVONA NY 14879
P.O.#: IM12-004
Client Asset # N/A

Calibrated: 3/5/2012
Received: 2/29/2012
Condition: In Tolerance

Calibration Due: 3/5/2013
Temperature: 67 F
Humidity: 20 % RH
Cal procedure used: ICP-06

Cal Ratio: 4 :1

ITEM CALIBRATED

Model	Manufacturer	Description	Serial #
0-2000 PSIG	ASHCROFT	PRESSURE GAGE	C002991

Laboratory Standards Used

Asset #	Model #	Manufacturer	Description	Last Cal.	Due Cal.
1313 Nist#	42270	EXTECH	DATALOGGER	2/1/2012	2/1/2013
AP2015 Nist#	5300	DH INSTRUMENTS	100 & 300 PSI/Kg PISTONS	9/20/2007	9/20/2012
AP2015A Nist#	100g-2Kg	DH INSTRUMENTS	WEIGHT SET	9/8/2010	9/8/2015

Nist#

Comments: NONE.

This Certificate of Calibration shall not be reproduced, except in full, without the written approval of Upstate Metrology Inc. Any subcontractor calibrations and/or tests are denoted under "Laboratory Standards Used" with a "V" prefix. On-Site calibrations are performed at the customers address unless stated otherwise in the Comments. All items Certified to Mfg. Spec.'s unless otherwise noted.

Henry Staab Jr.

Technician ID

1009

CHRIS MAGGIULLI

President

Form UP102, rev 6, 2/08

Certificate #
424658

UpState is
Accredited to

ISO 17025



Certificate of Calibration

www.upstateeasytrack.com

Upstate Metrology Inc. certifies that this equipment has been calibrated with standards traceable to the National Institute of Standards and Technology (NIST) to the performance specifications as stated in approved publications. The requirements set forth in MIL-STD 45662A, ISO10012-1 have been met or exceeded. Uncertainty budgets have been calculated at 95% confidence level using a coverage factor of k=2. Unless otherwise noted.

INERGY MIDSTREAM
7535 EAGLE VALLEY ROAD
SAVONA NY 14879
P.O.#: IM12-004
Client Asset # N/A

Calibrated: 3/12/2012

Received: 2/29/2012

Condition: Limited Cal

Calibration Due: 3/12/2013

Temperature: 67 F

Humidity: 20 % RH

Cal procedure used: ICP-06

Cal Ratio: 4 :1

ITEM CALIBRATED

Model	Manufacturer	Description	Serial #
242A	ITT BARTON	CHART RECORDER	242A-6219500

Laboratory Standards Used

Asset #	Model #	Manufacturer	Description	Last Cal.	Due Cal.
AP5002	42270	EXTECH	T/H DATA LOGGER	12/21/2011	12/21/2012
Nist# LABORATORY MONITOR					
AP2015	5300	DH INSTRUMENTS	DEAD WEIGHT TESTER	9/20/2007	9/20/2012
Nist# 100 & 300 PSI/Kg PISTONS					
AP2015A	100g-2Kg	DH INSTRUMENTS	WEIGHT SET	9/8/2010	9/8/2015
Nist# N.Y.S. REPORT # 10-403					
AP2015E	4Kg & 5Kg	DH INSTRUMENTS	WEIGHT SET	2/8/2012	2/8/2017
Nist# N.Y.S. REPORT # 12-069					

Comments: LIMITED CALIBRATION : 0 - 2,500 PSIG.

This Certificate of Calibration shall not be reproduced, except in full, without the written approval of Upstate Metrology Inc. Any subcontractor calibrations and/or tests are denoted under "Laboratory Standards Used" with a "V" prefix. On-Site calibrations are performed at the customers address unless stated otherwise in the Comments. All items Certified to Mfg. Spec.'s unless otherwise noted.

Henry Staab Jr.
Technician ID 1009

CHRIS MAGGIULLI
President

Form UP102, rev 6, 2/08



Accredited
ISO 17025

Limited Calibration Notice

Monday, March 12, 2012

INERGY MIDSTREAM
7535 EAGLE VALLEY ROAD
SAVONA NY 14879

Dear Sir:

CERTIFICATE #: 424658

The Instrument identified below was recently sent to Upstate Metrology for calibration, a LIMITED calibration was performed due to the indicated limitation(s) of the unit.

Model #	242A	ITT BARTON
Serial #	242A-6219500	CHART RECORDER

Limitation(s):
LIMITED CALIBRATION : 0 - 2,500 PSIG.

This notice is a requirement for MIL-STD 45662A, Paragraph 5.6 and is provided for your information and action if required by your quality procedures.

I would like to thank you for using UpState Metrology for your test equipment services and look forward to a continued professional relationship.

Sincerely,

UpState Metrology, Inc.


Chris Maggiulli
President

UpState Metrology, Inc. • 999 Buffalo Road • Rochester, NY 14624 • (585) 292-6430

Form UP108, rev 4, 2/08